SAMSUNG

Samsung Galaxy Z Flip6 6.7" Dual SIM Android 14 5G USB Type-C 12 GB 512 GB 4000 mAh Yellow

Brand : Samsung

Product family: Galaxy

Article code: SM-F741BZYHEUE

Product name : Z Flip6

Samsung Galaxy Z Flip6 . Display diagonal: 6.7", Display resolution: 2640 x 1080 pixels. Processor family: Qualcomm Snapdragon, Processor model: 8 Gen 3. RAM capacity: 12 GB, Internal storage capacity: 512 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Dual camera. SIM card capability: Dual SIM. Operating system installed: Android 14. Battery capacity: 4000 mAh. Product color: Yellow. Weight: 6.6 oz (187 g)



Display		Camera	
Display diagonal *	17 cm (6.7")	Portrait mode	✓
Screen shape	Flat	Slow motion mode	1
Display technology marketing name	•	Network	
Panel type	AMOLED	SIM card capability *	Dual SIM
Display glass type	Gorilla Glass	Mobile network generation *	5G
Gorilla Glass version	Gorilla Glass Victus 2	SIM card type *	NanoSIM + eSIM
Display resolution *	2640 x 1080 pixels	3G standards *	UMTS, WCDMA
Display number of colours	16 million colours	4G standard *	LTE-TDD & LTE-FDD
Maximum refresh rate	120 Hz 1300 cd/m²	5G standard *	Sub6 FDD, Sub6 SDL, Sub6 TDD
Display brightness Maximum display brightness	1300 cu/II-	Wi-Fi	✓
(Outdoor)	2600 cd/m ²	Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
Pixel density	425 ppi		802.11a, 802.11b, 802.11g, Wi-Fi 4
Brand specific technologies	Always-on display	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Second display	8.64 cm (3.4")	Bluetooth *	 Image: A second s
Second display diagonal Second display resolution	720 x 748 pixels	Bluetooth version	5.3
Second display brightness	1000 cd/m ²	Wi-Fi Direct	1
Second display type	Super AMOLED	ΜΙΜΟ	1
Second display pixel density	306 ppi	Modulation	1024-QAM
Processor	eee pp.	Near Field Communication (NFC)	✓ · · · · · · · · · · · · · · · · · · ·
Processor family *	Qualcomm Chandragon	Ports & interfaces	
Processor model *	Qualcomm Snapdragon 8 Gen 3		
Processor cores	8	USB port	✓
Processor boost frequency	3.39 GHz	USB connector type	USB Type-C
	5.55 612	USB version	3.2 Gen 1 (3.1 Gen 1)
Storage		Headphone connectivity	USB Type-C
RAM capacity *	12 GB	Design	
Internal storage capacity *	512 GB	Form factor *	Clamshell
Compatible memory cards *	Not supported	Product colour *	Yellow
Camera		International Protection (IP) code	IP48
Rear camera sensor size	1/1.56"	Performance	
Second rear camera sensor size	1/3.2"	Fast charging	1
Rear camera resolution (numeric) *	50 MP	Wireless charging	1
Second rear camera resolution (numeric)	12 MP	Fingerprint reader	1
Rear camera resolution	6120 x 8160 pixels	Face recognition	✓
Rear camera aperture number	1.8	USB On-The-Go support	1
Second rear camera aperture number	2.2		

Camera		Navigation	
Rear camera pixel size	1 μm	GPS (satellite)	1
Second rear camera pixel size	1.12 μm	GLONASS	J
Rear camera field of view (FOV) angle	85°	BeiDou	✓
Second rear camera field of view (FOV) angle	123°	Galileo Quasi-Zenith Satellite System	
Digital zoom	10x	(QZSS)	•
Front camera type *	Single camera	Position location *	1
Front camera sensor size	1/3.24"	Multimedia	
Front camera resolution (numeric) *	10 MP		3GA, AAC, AMR, APE, AWB, DFF,
Front camera aperture number	2.2	Audio formats supported	DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL,
Front camera pixel size	1.22 μm		
Front camera field of view (FOV) angle	85°	Video formats supported	RTX, WAV, XMF 3G2, 3GP, AVI, FLV, M4V, MKV, MP4,
Rear camera flash *	1	video formats supported	WEBM
Flash type	LED	Software	
Video capture resolution (max)	2160 x 3840 pixels	Platform *	Android
Maximum frame rate	240 fps	Operating system installed *	Android 14
Resolution at capture speed	1280x720@30fps, 1920x1080@120fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@60fps,	Virtual assistant	Samsung Bixby
		Battery	
		Battery recharge time	1.5 h
	3840x2160@30fps,	Battery capacity *	4000 mAh
	3840x2160@60fps	Sensors	
Rear camera type *	Dual camera	Proximity sensor	1
Auto focus	1	Accelerometer	4
Time lapse mode	1		
Image stabilizer	1	Ambient light sensor	
Image stabilizer type	Optical Image Stabilization (OIS)	Gyroscope	4
Night mode	1	Barometer	1
Panorama	1	Geomagnetic sensor	1
		Hall sensor	 Image: A start of the start of
		Weight & dimensions	

Width

Depth

Height

Weight *

Folded width

Folded depth

Folded height

Packaging content Cables included

SIM card ejector pin

71.9 mm

6.9 mm

187 g

7.19 cm

1.49 cm

8.51 cm

✓

USB Type-C

165.1 mm



8806095614830

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.